## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# W. B. CLARKE & SON

SAN JOSE, CALIFORNIA



P. O. Box 343

November 24, 1928

DIBRARY

RECEIVED

\* DEC 10 192\*\*

## LIST 2811

THIS LIST COVERS STOCK OFFERED BY

## CLARKE NURSERY CO.

SAN JOSE, CALIF.

SEASON 1928-1929

#### PLEASE NOTE

All summer quotations not accepted to date are hereby cancelled.

TERMS. To buyers of known or established credit. 60 days from date of invoice. Otherwise cash with order or 25% with order, balance C. O. D.

GRADING. Plants that are wider than they are tall are graded by width.

QUANTITIES. Five or more plants of one kind and size will be supplied at 10 rate; 50 or more at 100 rate; 500 or more at 1000 rate.

POTS. Prices on pot grown stock do not include the pots and unless otherwise instructed plants will be removed from pots before shipping. If wanted in the pots they will be charged for at cost, but can be returned if desired and credit will be given.

PACKING. Will be charged for at cost as usual. Plants will be packed to secure lowest possible freight classification consistent with the nature of goods shipped.

SHIPPING. Our responsibility ceases when goods are delivered to transportation company in good order. They travel at buyer's risk. Please state distinctly whether you wish goods shipped by freight or express and where water shipment is possible be sure to specify by water or rail as you may prefer.

NOMENCLATURE. Plant names, both botanical and common, have been revised to conform with 1923 edition of "Standardized Plant Names," with the addition of a few common names widely used on the Pacific Coast.

This list covers items of which we now have a fairly good supply unsold. Many other things can be furnished in moderate quantities and quotations will be made on request. So if you want any ornamental stock not listed here write us about it.

This list is for the trade only and all prices are strictly net. Landscape Architects and Landscape Gardeners who are not actual nurserymen will be charged 20% in addition to the rates quoted herein.

Both firms are members of

CALIFORNIA ASSOCIATION OF NURSERYMEN

## NOVELTIES AND SPECIALTIES

Special attention is called to the following items. Sizes and prices will be found in the proper division of this list.

#### CONIFERS

- CHAMAECYPARIS lawsoniana stewarti. Our best golden-hued conifer. All winter when Golden Arbor Vitaes lose their color this is at its brightest.
- CHAMAECYPARIS lawsoniana wisseli. WISSEL CYPRESS. Growth narrow and erect. Color sage or blue green. Foliage moss like. Rare and beautiful.
- CUPRESSUS glabra stricta. A chance seedling. Growth much like Italian Cypress but becomes thicker at base. Color bright silvery blue. All plants offered are grafted, hence uniform.
- CUPRESSUS sp. SILVERSPRAY CYPRESS. An interesting and beautiful Cypress with strongly drooping branches. Foliage glaucous. If main stem is kept staked it appears like a living fountain. Very fine. Species not known.
- PINUS armandi. ARMAND PINE.

  A new pine from China said to attain large size. Growth here is dwarf at first. Its long silvery needles and odd habit give it great value for rockwork, Japanese gardens and as a pot plant of very unusual appearance.
- TAXUS baccata fastigiata. IRISH YEW. This has been almost unobtainable for years, but we are now able to supply it in a good range of sizes.
- THUJA orientalis beverleyensis. Not a novelty, but still far from common. Growth erect and slender. Color vivid gold except in winter. As it does not sunburn it is entirely supplanting the old Thuja aurea conspicua to which it is superior in every way.

#### BROAD LEAVED EVERGREENS

- ARBUTUS menziesi. MADRONE. Probably our most beautiful native tree. Hard to propagate and of slow growth at first, it has always been scarce. We are now able to furnish it in quantity.
- CEANOTHUS arboreus hybridus. Flowers range through every shade of blue from palest lavender to deepest violet.
- COTONEASTER harroviana. Surpasses all other Cotoneasters in the profusion of red berries.
- COTONEASTER Standards. By top grafting the various Cotoneasters on straight stems at various heights a unique effect is obtained. This is particularly striking in the prostrate varieties such as C. horizontalis, microphylla, prostrata, etc.
- PHOTINIA arbutifolia. TOYON, CHRISTMAS BERRY, CALIFORNIA HOLLY. Although extremely popular this is very difficult to grow successfully for the first two years from seed. By careful study we have mastered the process and have by far the largest stock in the country.
- PHOTINIA serrulata. (New form from China). Raised from seed imported from China. It is quite distinct from the plant we have had for years in California under this name. Leaves have slightly prickly margins, new growth is red and the whole appearance is very attractive indeed. Ought to become very popular.
- PITTOSPORUM phillyraeoides. WILLOW PITTOSPORUM. Although very popular in Southern California it is almost unknown in other parts of the State. It is absolutely hardy in San Jose with a usual winter temperature of 24° so will thrive in most sections of California. Has the appearance and habit of an evergreen Weeping Willow.

#### **DECIDUOUS TREES**

- BETULA pendula youngi. YOUNG'S WEEPING BIRCH. Has the usual white trunk. Entirely different from Cut-leafed Birch. The main branches are very drooping and tree is entirely free from formality or stiffness.
- POPULUS tremula pendula. WEEPING POPLAR. Top grafted on erect stems it makes a very picturesque tree. A table with benches is often built around the trunk. Very striking when in bloom as the catkins are several inches long.
- ROBINIA hispida macrophylla. This is probably the most beautful flowering tree that can be grown in this country. It is far superior to the old "Rose Acacia," which is beautiful enough. The flowers are the size and shape of sweet peas, borne in large clusters and a lovely shade of soft pink. Top grafted it makes a fine round headed tree or budded low a handsome shrub.

SALIX babylonica annularis. Ringleaf Weeping Willow. Not new but rare, Growth more erect than Common Weeping Willow but with same drooping branches as it attains age. Its marked characteristic is the shape of the leaves. Each one is curled into a complete circle or ring giving the tree a most unusual and attractive appearance.

#### DECIDUOUS SHRUBS

- FORSYTHIA intermedia spectabilis. Far ahead of all the older Forsythias. Will outbloom any of them two to one. The color is a deep golden yellow, not pale like most. Further, it has long erect shoots which are covered with flowers the second year. Not only a fine garden shrub but should be very valuable for those who grow cut flower material for the florist trade.
- LILACS. We have specialized in Lilacs since we started business and have one of the very best commercial collections in the country. We have dropped all but the best of the older sorts, as the new ones are so superior. We offer the latest European novelties including several of the new "Early Flowering Lilacs," a distinct race which flower 2 or 3 weeks ahead of the ordinary kind. A marked feature of many of these new kinds is their great vigor. There is no use of being satisfied with inferior sorts, 30 or 40 years old, when this magnificent collection is available. See under SYRINGA.

#### CLIMBERS

- WISTERIA multijuga longissima. A form of the Japanese Wisteria with exceptionally long clusters. The first crop will usually run 3 ft. which increases to 4 ft. as the plants get stronger. Ultimately some 5 ft. clusters will develop and the old original vine has actually produced a few clusters which reached the startling length of 6 ft. This may sound exaggerated, but is not.
- WISTERIA multijuga rosea. PINK WISTERIA. Our stock is guaranteed to be absolutely genuine pink.
- WISTERIA Mrs. McCullough. A distinct unknown variety. The color is a genuine deep purple which others are not, regardless of names. Clusters are short but full, finely formed and with very large individual flowers. First of all to bloom.

#### MISCELLANEOUS

HESPEROYUCCA whipplei. This is our native yucca whose enormous flower spikes lend so much beauty to the foothill region of southern California. Is not long in coming into bloom. Flower spikes often 10 or 12 ft. tall with hundreds of flowers.

## CONIFERS

Unless otherwise noted all plants in this section will be balled at prices quoted.

Onless otherwise noted an plants in this section will	DC DGIIC	a at prices qu	aoccu.
	each	10	100
	rate	rate	rate
ARAHGARIA Imbainata MONUENTHIARIE		Tate	Tate
ARAUCARIA imbricata, MONKEYPUZZLE 4 in. pot, 6 to 8 in	75	e co	0 50
		\$ .60	\$ .50
CEDRUS deodara, DEODAR 6 to 7 ft			
6 to 7 ft	3.50	3.00	2.50
5 to 6 ft	3.00	2.50	2.00
4 to 5 ft	2.50	2.00	1.50
3 to 4 ft	2.25	1.75	1.25
2 to 3 ft	2.00	1.50	1.10
2 to 3 ft	1.50	1.25	.85
1 to 1½ ft	1.25	1.00	.70
4 in. pot, 8 to 12 in	.40	.30	.25
libani, CEDAR OF LEBANON			
1 to 1½ ft	.75	.60	.50
CHAMAECYPARIS lawsoniana alumi, SCARAB CYPYF	ESS		
3 to 3½ ft	2.50	1.75	1.50
2½ to 3 ft	2.00	1.50	1.25
3 to 3½ ft	1.75	1.25	1.00
1½ to 2 It	1.50	1.00	.75
1 to 1½ ft	1.00	.75	.60
lawsoniana argentea, SILVER LAWSON CYPRES	S		
2 to 3 ft	2.00	1.50	
lawsoniana erecta viridis. GREEN COLUMN CYYI	RESS		
2½ to 3 ft	2.00	1.50	
2½ to 3 ft	1.75	1.25	0.5
1½ to 2 it	1.50	1.00	.85
1 to 1½ ft	1.25	.80	.65
lawsoniana globosa			
6 to 8 in	1.00	.75	
4 to 6 in	.75	.50	
lawsoniana Silver Queen	0.54		
4 to 5 ft	2.50	1.75	1.50
3 to 4 it	2.00	1.50	
2 to 3 ft	1.75	1.25	
lawsoniana stewarti			
	1.50	1.00	.75
lawsoniana wisseli, WISSEL CYPRESS			
1½ to 2 ft	2.00	1.50	
1 to 1½ ft	1.50	1.25	1.00
pisifera aurea, GOLDEN SAWARA RETINISPOR. 2 to 2½ ft	4		
2 to 2½ ft	2.00	1.50	
1½ to 2 ft	1.50	1.25	
1 to 1½ ft	1.25	1.00	
pisifera plumosa aurea, GOLDENPLUME CYPRE	SS	* **	
2 to 2½ ft		1.50	
CRYPTOMERIA japonica elegans, PLUME CRYPTOMEI	RIA		
3 to 4 ft	1.50	1.25	
3 to 4 ft	1.00	.75	
CUPRESSUS arizonica, ARIZONA CYPRESS			
CUPRESSUS arizonica, ARIZONA CYPRESS 5 in. pot, 3 to 4 ft	.75	.50	.40
5 in. pot, 2 to 3 ft	.60	.40	.35
chinensis (new)			
4 in. pot, 1 to 1½ ft	.75	.60	
glabra stricta, BLUE ITALIAN CYPRESS			
5 to 6 ft	2.50	2.00	
4 to 5 ft	2.00	1.50	
2 to 3 ft	1.25	1.00	F 0
5 in, pot, 2 to 3 ft	.75	.60	.50
o in. pot, 1½ to 2 it	.65	.50	.40
4 III. pot, 1 to 1½ It	.50	.40	.35
macnabiana			
5 in. pot, 3 to 4 ft	.75	.50	.40
macrocarpa, MONTEREY CYPRESS	75	FO	40
5 in. pot, 4 to 6 ft	.75	.50	.40
o in. pot, o to 4 it	.60	.40	.35

	each	10	100
CUPRESSUS—Continued	rate	rate	rate
sempervirens stricta, COLUMNAR ITALIAN CYPE			
8 to 9 ft	5.00 4.00	4.00	
6 to 7 ft	2.50	$\frac{3.00}{1.75}$	1.50
5 to 6 ft	2.00	1.50	1.25
4 to 5 ft	1.50	1.25	1.00
2 to 3 ft	1.00	1.00 .75	.75 .65
4 in. pot, 2 to 2½ ft	.50	.35	.30
2 to 3 ft	.40	.30	.25
4 III. pot, 1 to 1-72 It	•90	.25	.20
Silverspray (grafted), SILVERSPRAY CYPRESS	1.00	.75	
4 and 5 in, pot, 1 to 1½ ft	.75	.60	
Silverspray (grafted), SILVERSPRAY CYPRESS 5 in. pot, 1½ to 2 ft	.60	.50	
JUNIPERUS chinensis pfitzeriana, PFITZER JUNIPER 8 to 12 in	1.00	.75	
4 in. pot, 8 to 12 in	.75	.60	
communis hibernica, IRISH JUNIPER			
3 to 4 ft	2.50	1.75	1.50
	2.00	1.25	
sabina, SAVIN JUNIPER  2 to 3 ftvirginiana kosteriana, KOSTER REDCEDAR	0.50	0.00	
virginiana kosteriana KOSTER REDCEDAR	2.50	2.00	
4 in. pot, 8 to 12 in	.75	.50	
TAROGERANICA I CALLEGRAMA INCIDICE CER	A.D.		
LIBOCEDRUS decurrens, CALIFORNIA INCENSE-CED	.75	.50	
4 in. pot, 1 to 1½ ft	.50	.35	.30
LIBOCEDRUS decurrens, CALIFORNIA INCENSE-CED 4 in. pot, 1½ to 2 ft	.40	.30	
PINUS armandi, ARMAND PINE 2 to 3 ft	1.50	1.25	
1½ to 2 ft	1.25	1.00	
1 to 1½ ft	1.00 .60	.75 .50	
1½ to 2 ft	.50	.40	.35
concriencia CANADY DINE		1	
canariensis, CANARY PINE 5 in. pot, 4 to 5 ft	1.00	.75	
5 in. pot, 3 to 4 ft	.75	.60	
5 in. pot, 2 to 3 ft	.60 .50	.50 .40	.40 .30
5 in. pot, 3 to 4 ft	.25	.15	.10
pinea, ITALIAN STONE PINE 4 in. pot, 1 to 1½ ft	.40	.30	
ponderosa, WESTERN YELLOW PINE			
5 in. pot. 15 to 18 in	.50	.35	
5 in. pot, 15 to 18 in	.40	.30	.25
5 in. pot, 8 to 12 in	.35	.25	.20
PODOCARPUS macrophylla, YEW PODOCARPUS			
PODOCARPUS macrophylla, YEW PODOCARPUS 4 in. pot, 6 to 8 in	.40	.30	.25
SEQUOIA gigantea, CALIFORNIA BIG TREE			
4 in. pot, 8 to 12 in	.50	.40	
4 in. pot, 6 to 8 in	.40	.35	
sempervirens, REDWOOD			
2½ gal. cans, 4 to 5 ft	$\frac{1.25}{1.00}$	1.00 .75	
gal. cans and 5 and 6 in. not. 3 to 4 ft	.75	.50	.40
gal. cans and 5 and 6 in. pot, 2 to 3 ft	.65	.40	.30
\$250 per 1000	.50	.35	.25
sempervirens, REDWOOD  2½ gal. cans, 4 to 5 ft  2½ gal. cans, 3 to 4 ft  gal. cans and 5 and 6 in. pot, 3 to 4 ft  gal. cans and 5 and 6 in. pot, 2 to 3 ft  \$250 per 1000  5 and 6 in. pot, 1½ to 2 ft  \$200 per 1000  4 and 5 in pot, 1 to 1½ ft  2½ in. pot, 6 to 8 in  2½ in. pot, 4 to 6 in	.00	,	
4 and 5 in pot, 1 to 1½ ft	.40	.30	.20
2½ in. pot, 6 to 8 in	.25	.20 .15	.15 .10
272 III. pot, 4 to 6 III	.20	.10	.10
TAXUS baccata fastigiata, IRISH YEW  3½ to 4 ft	7.50	5.50	
3 to 3½ ft	6.00	4.50	
2½ to 3 ft	5.00	3.75	
2 to 2½ ft	4.00	3.00 2.25	
1½ to 2 it	3.00	2.20	

each	10	100
rate	rate	rate
THUJA occidentalis ericoides, HEATH RETINISPORA		
1½ to 2 ft	.75	
1 to 1½ ft	.60	
occ. pyramidalis, AMERICAN PYRAMIDAL ARBORVIT	AE	
2 to 2½ ft	1.25	
1½ to 2 ft	1.00	.85
1 to 1½ ft 1.00	.75	.65
orientalis aurea nana, BERKMAN'S GOLDEN ARBORVI	TATE	
24 to 26 in	2.00	1.75
20 to 24 in 2.25	1.75	1.50
15 to 20 in 1.75	1.25	1.00
12 to 15 in	1.00	
10 to 12 in	.85	.75
8 to 10 in	.75	.65
orientalis beverleyensis		
4½ to 5 ft	4.00	
4 to 4½ ft	3.50	
3 to 3½ ft	$\frac{2.50}{2.00}$	1.75
$2\frac{1}{2}$ to 3 ft	1.50	1.75
$1\frac{1}{2}$ to $2$ ft	1.25	1.00
1 to 1½ ft	1.00	.85
orientalis sieboldi (Retinispora sieboldi), SIEBOLD ARBO	ADTITUD A TO	
3 to 4 ft	1.50	
	1,00	
TSUGA mertensiana, MOUNTAIN HEMLOCK		
4 in. pot, 1 to 1½ ft	.40	
4 in. pot, 8 to 12 in	.30	

## **BROAD LEAVED EVERGREENS**

Unless otherwise noted all plants in this section will be balled at prices quoted.

Offices office wife motes are plants in this section wife	20 2011	ca as prices q	a o o o o o o
	each	10	100
	rate	rate	rate
ABELIA grandiflora, GLOSSY ABELIA			
5 to 6 ft	2.00	\$1.25	\$1.00
4 to 5 ft	1.50	1.00	.75
3 to 4 ft	1.25	.85	.65
4 in. pot, 1½ to 2 ft	.50	.40	
4 in. pot, 1 to 1½ ft	.40	.30	.25
- · · · · · · · · · · · · · · · · · · ·			
ACACIA armata, KANGAROO THORN			
4 in. pot, 3 to 4 ft	.50	.40	~~
4 in. pot, 2 to 3 ft	.40	.30	.25
$2\frac{1}{2}$ in. pot, 8 to 12 in	.20	.15	.10
A U. COOMANIAND A WARMEN			
baileyana, COOTAMUNDRA WATTLE	1.00	.75	.65
gal. can, 4 to 5 ft		.50	.40
5 in. pot, 2 to 3 ft	.65		.30
5 in. pot, 1½ to 2 ft	.50	.40	.25
5 in. pot, 1 to 1½ ft	.40	.30	
2½ in. pot, 4 to 8 in., \$75 per 100€	.15	.10	.08
cultriformis, KNIFE ACACIA			
5 in. pot, 5 to 6 ft	.75	.50	.40
5 in. pot. 4 to 5 ft	.60	.40	.35
4 and 5 in. pot, 3 to 4 ft	.50	.35	.30
4 in. pot, 2 to 3 ft	.40	.30	.25
The state of the s			
decurrens dealbata (mollissima), SILVER WATTL			20
gal. can, 6 to 8 ft	1.00	.75	.60
5 in. pot, 5 to 6 ft	.75	.60	40
5 in. pot, 4 to 5 ft	.60	.50	.40
4 and 5 in. pot, 3 to 4 ft	.50	.40	
verticillata, STAR ACACIA			
4 in. pot, 4 to 6 ft	.50	.40	.35
4 in. pot. 3 to 4 ft	.40	.30	.25
	.10		
ARBUTUS menziesi, MADRONE			
5 in. pot, 1½ to 2 ft	1.25	1.00	
5 and 6 in pot, 15 to 18 in	.75	.60	.50
4 and 5 in. pot, 12 to 15 in	.65	.50	.40
4 and 5 in. pot, 8 to 12 in	.50	.40	.35

		oooh	10	100
		each rate	rate	100 rate
ARBUTUS-C	Continued	1000	2400	1200
arm odo	CTD AWDEDDV TDEE			
5	to 6 ft	2.00	1.50	1.25
4 3	to 4 ft	1.75	$\frac{1.25}{1.00}$	1.00 .75
2	to 3 ft	1.00	.75	.60
4	HYLOS pungens, MANZANITA in. pot, 8 to 12 in in. pot, 6 to 8 in	.40	.30	
		.35	.25	.20
AUCUBA jap	onica, JAPANESE AUCUBA			
b	In. pot, 8 to 12 in	.50	.40	
japonica	variegata, GOLDDUST AUCUBA	4.00		
8	to 1½ ft	.75	.75 .50	
			.00	
AZARA micro	in, pot, 1½ to 2 ft	.50	.40	.35
4	in. pot, 1½ to 2 ft	.40	.30	.25
BERBERIS da	rwini, DARWIN BARBERRY			
3	to 4 ft	1.50	1.00	
1 8	to 1½ ft	.60	.50 .40	
5	in. pot. 1½ to 2 ft	.50	.35	.30
4	to 4 ft	.40	.30	.25
4	in, pot, 8 to 12 in	.35	.25	.20
knighti		25		9
	to 12 in	.65	.50	.40
laevis	t 1 t- 11/ 0t	40	00	
4	in. pot, 1 to 1½ ftin. pot, 8 to 12 in	.40 .35	.30 .25	.20
		.00		
wilsonae	, WILSON BARBERRY	1.25	1.00	
11/	to 3 ft	1.00	.75	.60
1	to 1½ ftto 12 in	.75	.60	.50
		.65	.50	.40
BUDDLEIA li	ndleyana, LINDLEY BUTTERFLYBUSH in. pot, 2 to 3 ftin. pot, 1½ to 2 ft	.50	.35	
5 5	in. pot, 2 to 3 It	.40	.25	
	rvirens, COMMON BOX			
CLOBES				
15	to 18 in	1.50	1.25	
8	to 18 in	$1.25 \\ 1.00$	1.00 .75	
		1.00	***	
PYRAMI 30	in, up	3.00	2,50	
27	to 30 in	2.75	2.25	
24	to 27 in	$\frac{2.50}{2.25}$	$\frac{2.00}{1.75}$	
20	to 22 in	1.75	1.50	
18	to 20 in	1.50	1.35	
CALLISTEMO	N, BOTTLEBRUSH			
Assorted		F0	0.5	20
4 1 4 i	n. pot, 3 to 4 ft	.50 .40	.35 .30	.30
* *	coccineus	*10	.00	
	linearis			
	phoenicius rigidus			
rigidus				
	led, 2 to 3 ft	.75	.60	
	ponica, COMMON CAMELLIA			
Pink Per	fection			
4 i	n. pot, 6 to 8 in	.75	.60	
4 i	n. pot, 4 to 6 in	.60	.50	
gal	fficinalis, CAMPHOR . can, 4 ft	.75	.60	.50
CASUARINA s	tricta, BEEFWOOD			
4 i	n. pot, 3 to 4 ft	.50	.40	
4 in	n, pot, 2 to 3 ft	.40	.30	
4 17	n. pot, 1½ to 2 ft	.35	.25	

	each rate	10 rate	100 rate
CEANOTHUS arboreus hybridus			
CEANOTHUS arboreus hybridus 4 in. pot, 2 to 2½ ft	.50 .40	.35	.30 .25
cyaneus 4 in. pot, 1 to 1½ ft	.75	.50	
spinosus 5 in. pot, 4 to 5 ft	.75	.60	
5 in. pot. 3 to 4 ft	.60	.50	.40
4 and 5 in, pot, 2 to 3 ft	.50	.35	.30
4 in. pot, 1½ to 2 ft	.40	.30	.25
5 in. pot, 3 to 4 ft	.35	.25	.20
CHOISYA ternata, MEXICAN-ORANGE  2 to 3 ft	1.25	1.00	.85
1½ to 2 ft	1.00	.75	.65
1 to 1½ It	.75	.60	.50
CISTUS albidus, WHITELEAF ROCKROSE			
4 and 5 in. pot, 2 to 3 ft	.50	.30	.25
4 in. pot, 1½ to 2 ft	.40	.25	.20
4 and 5 in. pot, 2 to 3 ft	.30 .25	.20	.18
272 In. pot, 1 to 172 It	.40	.18	.15
ladaniferus maculatus, SPOTTED ROCKROSE	.40	00	05
ladauiferus maculatus, SPOTTED ROCKROSE 4 in. pot, 8 to 12 in	.35	.30 .25	.25 .20
	.03	.20	.20
COPROSMA baueri, CORAL COPROSMA	.40	.30	.25
COPROSMA baueri, CORAL COPROSMA 4 in. pot, 1½ to 2 ft 4 in. pot, 1 to 1½ ft	.35	.25	.20
CORNUS capitata, EVERGREEN DOGWOOD	.40	.30	
4 in. pot, 1½ to 2 ft	.35	.25	
CORONILLA glauca, HONEY CORONILLA  4 in. pot, 2 to 3 ft	.40	.30	.25
4 in. pot, 1½ to 2 ft	.35	.25	.20
4 in. pot, 1 to 1½ ft	.25	.20	
COTONEASTER apiculata 4 and 5 in. pot, 1 to 1½ ft	.30	.25	
dielsiana elegans (schneideri) berried, 2 to 3 ft. berried, 1½ to 2 ft. berried, 1 to 1½ ft. berried, 1 to 1½ ft. 4 in. pot, 2 to 3 ft. 4 in. pot, 1½ to 2 ft. 3 in. pot, 8 to 12 iu.			
berried, 2 to 3 ft	.75	.60	.50
berried, 1½ to 2 ft	.65	.50	.45
berried, 1 to 1½ it	.60	.45	.40
4 in. pot, 2 to 3 It	.50	.35	.30
2 in not 8 to 12 in	.40 .25	.30	.25 .15
5 III. pot, 6 to 12 III		.20	.10
francheti FRANCHET COTONEASTER berried, 4 to 5 ft	1.05	1.05	1 00
berried, 4 to 5 It	1.75	1.25	1.00
berried 2 to 2 ft	1.00	1.00 .75	.75 .60
11/6 to 2 ft	.75	.60	.50
4 in. pot. 2 to 3 ft	.40	.30	.25
4 in. pot, 1½ to 2 ft	.35	.25	.20
4 in. pot, 2 to 3 ft	.30	.20	
2½ in. pot	.20	.12	.10
frigida, HIMALAYAN COTONEASTER			
frigida, HIMALAYAN COTONEASTER 6 to 8 ft	2.00	1.50	
5 in. pot, 4 to 6 ft	.50	.40	.30
5 in. pot, 4 to 6 ft	.40	.30	.25 .20
harroviana	.35	.25	
berried, 4 to 6 ft	2.00	1.25	1.00
berried, 3 to 4 ft	1.50	1.00	.75
berried, 4 to 6 ft	.40	.30 .15	.25 .12
I I I II DOGYE GOMONED COMED	,	-20	
berried, 2½ to 3 ft	1.50	1.00	.75
berried, 2 to 21/2 ft	1.25	.75	.60
berried, 1½ to 2 ft	.85	.60	.50
1 to 1½ ft	.75	.50	.40
4 in. pot, 1½ to 2 ft	.50	.40	.35
4 in. pot, 1 to 1½ It	.40 .35	.30	.25 .20
4 III. pot, o to 12 III	.00	.25	.20

	each	10	100
COTONEASTER—Continued	rate	rate	rate
u nographus			
microphylla, ROCKSPRAY  2½ to 3 ft	. 1.50	1.25	
2 to 2½ ft	. 1.25	.90 .75	.75 .60
1 to 1½ ft	75	.60	.50
4 in. pot, 1½ to 2 ft	50	.40	
4 in. pot, 1 to 1½ it	40	.30 .25	.25 .20
The post of the market poor appare	00	,20	•20
microphylla thymifolia, THYME ROCKSPRAY 4 in. pot, 8 to 12 in	40	.30	
pannosa, SILVERSPRAY COTONEASTER	2.50	1.75	1.50
berried, 8 to 10 ft.  berried, 6 to 8 ft.  4 to 6 ft.	2.00	1.50	1.25
4 to 6 ft	1.75	1.25	1.00
4 in. pot. 3 to 4 ft	.60	.75 .40	.60 .35
2 to 3 ft	.50	.35	.30
pannosa nana. DWARF SILVERSPRAY COTON	EASTER		
pannosa nana, DWARF SILVERSPRAY COTON 4 in. pot, 1½ to 2 ft	.50	.40	.30
4 in. pot, 1 to 1½ ft	.40	.30	.25
prostrata	1.00		
2 to 2½ ft	.75	.75 .60	
		***	
salicifolia, WILLOWLEAF COTONEASTER 4 to 6 ft	2.00	1.25	
2 to 3 ft	1.25	.75	
4 in. pot, 2 to 3 ft	.50	.35	.30
simonsi SIMON'S COTONEASTER			
simonsi, SIMON'S COTONEASTER  3 to 4 ft	1.00	.75	
2 to 3 ft	.75	.60	9.0
4 in. pot, 3 to 4 it	.50 .40	.35 .30	.30 .25
4 in. pot, 3 to 4 ft	.35	.25	
COTONEASTER—Standards—top grafted.			
dielsiana elegans			
5 in. pot, 2 yr. head, 2 ft. stem	1.00	.75	
francheti			
5 in. pot, 2 yr. head, 3 ft. stem	1.25	1.00	
gracilis	4		
5 in. pot, 2 yr. head, 2 ft. stem	1.00	.75	
harroviana	2.00	1 20	
5 in pot 2 yr head 4 ft stem	$\frac{2.00}{1.75}$	$1.50 \\ 1.25$	
5 in. pot, 2 yr. head, 5 ft. stem	1.50	1.00	
horizontalis			
5 in. pot, 2 yr. head, 3 ft. stem 5 in. pot, 2 yr. head, 2 ft. stem	1.50	1.00	
5 in. pot, 2 yr. head, 2 ft. stem	1.25	.85	.75
microphylla	1 50	1.00	
5 in. pot, 2 yr. head, 3 ft. stem	$1.50 \\ 1.25$	1.00 .85	
		•••	
microphylla thymifolia 5 in. pot. 2 vr. head. 3 ft. stem	1.50	1.00	
5 in. pot, 2 yr. head, 3 ft. stem	1.25	.85	
5 in. pot, 2 yr. head, 1½ ft. stem	1.00	.75	
pannosa	1 75	1.05	
5 in. pot, 2 yr. head, 4 ft. stem 5 in. pot, 2 yr. head, 3 ft. stem	$1.75 \\ 1.50$	$\frac{1.25}{1.00}$	
pannosa nana 5 in. pot, 2 yr. head, 2 ft. stem	1.25	1.00	
prostrata			
5 in. pot, 2 yr. head, 3 ft. stem	1.50	1.00	
5 in. pot, 2 yr. head, 1 ft. stem	1.00	.65	
pyrenaica			
5 in. pot, 2 yr. head, 2 ft. stem 5 in. pot, 2 yr. head, 1 ft. stem	$\frac{1.25}{1.00}$	.85 .75	.60
	1.00	.10	.00
salicifolia 5 in. pot, 2 yr. head, 3 ft. stem	1.50	1.00	
o pov, a ga. neau, o tu pjena	2,00	1.00	

	each	10	100
CVERTICAL comprising CANARY BROOM	rate	rate	rate
CYTISUS canariensis, CANARY BROOM 4 in. pot, 3 to 4 ft	.50	.40	.35
4 in. pot, 2 to 3 ft	.40	.30	.25
2½ in. pot, 1 to 1½ ft	.25	.20	.15
praecox luteus 4 in. pot, 1 to 1½ ft	.65	.50	
racemosus, EASTER BROOM	* 00		
5 in. pot, 1½ to 2 ft	$\frac{1.00}{.75}$	.75 .60	.50
4 in. pot, 8 to 12 in	.50	.40	.35
racemosus, EASTER BROOM 5 in. pot, 1½ to 2 ft. 5 in. pot, 1 to 1½ ft. 4 in. pot, 8 to 12 in. 4 in. pot, 6 to 8 in.	.40	.35	.30
scoparius hybridus (seedlings) 2½ in. pot, 1 to 1½ ft	.25	.20	.15
stenopetalus, LEAFY MADEIRA BROOM 2½ in. pot, 1 to 1½ ft	.25	.20	.15
DIOSMA ericoides, BREATH-OF-HEAVEN			
4 in. pot, 12 to 15 in	.35	.25	.20
4 in. pot, 1 to 1½ ft	.40	.30	.25
4 in. pot, 8 to 12 in	.35	.25	.20
ELAEAGNUS pungens maculata		1.	
4 in. pot, 6 to 8 in	.25	.20	
ERICA melanthera, BLACK-EYED HEATH	1.05	0.5	n -
with flower buds, $1\frac{1}{2}$ to 2 it	$1.25 \\ .50$	.85 .40	.75
with flower buds, 1½ to 2 ft	.40	.30	
recorminans ovata			
now in bloom, 12 to 15 in	1.25	1.00	
now in bloom, 12 to 15 in	.65 50	.50 .40	
	.00	*40	
ERIOBOTRYA japonica, LOQUAT	1.50	1.25	
5 to 6 ft	1.25	1.00	.85
3 to 4 ft	1.00 .85	.75 .60	.60 .50
2 to 3 ft	.60	.40	.00
5 in. pot, 1 to 1½ ft	.50	.35	
ESCALLONIA montevidensis, MONTEVIDEO ESCALLO 4 in. pot, 2 to 3 ft	NIA		
4 in pot, 2 to 3 ft	.65 50	.50 .40	.30
4 in. pot, 1 to 1½ ft	.40	.30	.25
rosea, ROSE ESCALLONIA			
4 and 5 in. pot, 2 to 3 ft	.50	.35	
4 and 5 in. pot, 2 to 3 ft	.40 .35	.30 .25	
THE POOL TO 172 TOWN		.20	
rubra, RED ESCALLONIA  2 to 3 ft	1.00	.75	
1½ to 2 ft	.75	.60	
4 in. pot, 1 to 1½ ft	.50 .40	.35 .25	.20
	•40	.20	.20
sanguinea 4 in. pot. 2 to 3 ft	.50	.35	.30
4 in. pot, 2 to 3 ft	.40	.30	.25
4 in. pot, 1 to 1½ ft	.35	.25	.20
EUCALYPTUS leucoxylon rosea, PINK IRONBARK	1.25	1.00	
2½ gal. can, 5 to 6 ft	1.00	1.00 .75	
EUCALYPTUS leucoxylon rosea, PINK IRONBARK 2½ gal. can, 6 to 7 ft 2½ gal. can, 5 to 6 ft 5 in. pot, 5 to 6 ft 5 in. pot, 4 to 5 ft	.75	.60	
5 in. pot. 3 to 4 ft	.60 .50	.50 .40	
5 in. pot, 3 to 4 ft	.40	.35	
torquata (new, red flowering) 4 in. pot, 2 to 3 ft	1.00	.75	
	.50	.40	
EUONYMUS japonicus, EVERGREEN BURNINGBUSH	40	20	
4 in. pot, 1½ to 2 ft	.40 .35	.30 .25	
japonicus albovariegatus, SILVERSPOT BURNING			
1 to 1½ ft	.50	.40	

	each	10	100
EUONYMUS—Continued	rate	rate	rate
japonicus aureomarginatus, GOLDEN EUONYM	TIC		
1 to 1½ ft	75	.60	.50
1 to 1½ ft 8 to 12 in	65	.50	.40
japonicus microphyllus albomarginatus, SILVER	BOXLEAF	BURNING	BUSH
12 to 15 in	75	.60	
	65	.50	
GENISTA elatior	95	0.5	00
4 and 5 in. pot, 1 to 1½ ft		.25	.20
GREVILLEA robusta, SILK-OAK 5 in. pot, 6 to 7 ft	1.25	.90	
5 in. pot, 5 to 6 ft	1.00	.75	
5 In. pot, 4 to 5 It	75	.60	.50
5 in. pot, 3 to 4 ft		.50	.40
HYPERICUM moserianum, GOLDFLOWER   4 in. pot, 1 to 1½ ft	0.5	0.5	0.0
\$\times 4 \text{ iii. pot, 1 to 1}_{\chi_2}  1t	35	.25	.20
patulum henryi, HENRY HYPERICUM 4 and 5 in. pot, 2 to 3 ft	95	0.5	0.0
		.25	.20
patulum grandiflorum (new) 4 in. pot, 2 to 3 ft 4 in. pot, 1½ to 2 ft	50	.30	.25
4 in. pot, 1½ to 2 ft	35	.25	.20
ILEX aquifolium, ENGLISH HOLLY 4 in. pot, 8 to 12 in 4 in. pot, 6 to 8 in	50	.40	
4 in. pot, 6 to 8 in	40	.30	
LAUROCERASUS carolinana, CAROLINA CHERRY 4 in. pot, 1½ to 2 ft	LAUREL		
4 in. pot, 1½ to 2 ft	40	.30	.25
	35	.25	.20
officinalis, ENGLISH LAUREL	1.75	1.25	1.00
2 to 3 ft	1.25	1.25	.75
1 to 1½ ft	1.00	.75	.65
3 in. pot, 4 to 6 in	35	.25	.20
LAURUS nobilis			
4 in. pot, 1 to 1½ ft	40 35	.30 .25	
		.20	
LEONOTUS leonurus, LION'S TAIL 5 in. pot, 2 to 3 ft	50	.35	
5 in. pot, 1½ to 2 ft	35	.25	
LEPTOSPERMUM laevigatum, AUSTRALIAN TEA-1 5 in. pot, 4 to 5 ft	TREE		
5 in. pot, 4 to 5 ft	60	.45	.35
4 and 5 in. pot, 3 to 4 ft	50 40	.40 .30	.30 .25
4 in. pot. 1½ to 2 ft	35	.25	.20
2½ in. pot, 1 to 1½ ft	20	.15	.12
LEHCADENDRON argentoum SILVER TREE			
4 in. pot, 1 to 1½ ft	75	.60	
4 in. pot, 1 to 1½ ft	65	.50 .40	
TIGUERDIM : TADANECE DRIVET		***	
LIGUSTRUM japonicum, JAPANESE PRIVET	75	.60	.50
		.50	.40
1 to 1½ ft	50 50	.40 .40	.35
bare roots, 2 to 3 ftbare roots, 1½ to 2 ft	40	.30	.25
1 to 1½ ft	35	.25	.20
japonicum variegatum, GOLDEN JAPANESE P			
2 to 3 ft	1.00	.75	
lucidum			
4 to 6 ft	1.25	$\substack{1.00 \\ .75}$	.60
2 to 3 ft	75	.60	.50
1½ to 2 ft	65	.50	.40
1 to 1½ ft	50 75	.40 .50	.35 .40
bare roots, 2 to 3 ft	50	.40	.35
3 to 4 tt	40	.30	.25
bare roots, 1 to 1½ ft	35	.25	.20
maeronhyllum		1.25	
4 to 5 ft	1.25	1.00	

	each	10	100
	rate	rate	rate
LIGUSTRUM—Continued			
ovalifolium variegatum, GOLDEN CALIFORNIA I	RIVET		
6 to 8 ft	2.00	1.50	
3 to 4 ft	1.25	1.00 .85	.90
4 in. not. 2 to 3 ft.	.50	.35	.75 .30
4 in. pot, 1½ to 2 ft	.40	.30	.25
4 in. pot, 2 to 3 ft	.35	.25	.20
LONICERA nitida, BOX HONEYSUCKLE			
LONICERA nitida, BOX HONEYSUCKLE 2 to 3 ft	.75	.60	
1½ to 2 ft	.65	.50	.40
4 in. pot, 1 to 2 ft	.50 .35	.40 .25	.35
		.20	.20
MAGNOLIA grandiflora, SOUTHERN MAGNOLIA 2 to 3 ft	1.50	1.25	
1½ to 2 ft	1.25	1.00	
1 to 1½ ft	1.00	.75	.60
grandiflora lanceolata			
2 to 3 ft	1.50	1.25	
2 to 3 ft	1.25	1.00	
		.75	
MAHONIA aquifolium, OREGON HOLLYGRAPE			
MAHONIA aquifolium, OREGON HOLLYGRAPE 1½ to 2 ft	1.00	.85	.75
1 to 1½ ft	.75	.60	.50
bealei (japonica), LEATHERLEAF HOLLYGRAP 4 in. pot, 6 to 8 in	E		
4 in. pot, 6 to 8 in	.40	.30	
MELALEUCA decussata, LILAC MELALEUCA			
4 in. pot, 4 to 5 ft	.50	.40	
4 in. pot, 4 to 5 ft	.40	.30	.25
ericifolia, HEATH MELALEUCA			
4 in. pot, 4 to 5 ft	.50	.35	.30
4 in. pot, 3 to 4 ft	.40	.30	.25
2½ in. pot, 2 to 3 it	.25	.20 .15	.15 .12
2 /2 III. pot, 1 /2 W 2 It	.20	*10	.12
hypericifolia, DOTTED MELALEUCA 4 in. pot, 4 to 5 ft	F0	40	20
4 in pot 3 to 4 ft	.50 .40	.40 .30	.30 .25
4 in. pot. 2 to 3 ft	.35	.25	.20
MVDTIIS communic TRIIF MVDTIF			
4 in. not. 1 to 11/6 ft.	.40	.30	
MYRTUS communis, TRUE MYRTLE  4 in. pot, 1 to 1½ ft	.35	.25	.20
2½ in. pot, 6 to 8 in	.20	.15	.12
communis microphylla, ROSEMARY MYRTLE  4 in. pot, 2 to 3 ft			
4 in. pot, 2 to 3 ft	.50	.40	
4 in. pot, 1½ to 2 ft	.40	.30	.25
4 ln. pot, 1 to 1½ it	.35	.25	.20
NANDINA domestica, NANDINA			
2 to 3 ft	1.50	1.25 .85	1.00 .75
1 to 1½ ft	1.00	.70	.60
NERIUM oleander, OLEANDER			
2 to 3 ft	1.00	.75	
Single Red 2 to 3 ft	.75	.60	.50
1 to 1½ ft	.65	.50	.40
PASANIA densifiora, TANBARK OAK 4 in. pot, 3 to 6 in			
4 in. pot, 3 to 6 in	.30	.25	.20
PHOTINIA arbutifolia, CHRISTMASBERRY, TOYON, 5 in. pot, 1½ to 2 ft	CALIF	ORNIA HOLLY	
5 in. pot, 1½ to 2 ft	.65	.50	.40
5 in. pot, 15 to 18 in	.50	.40	.35
5 in. pot, 12 to 15 in	.40	.35	.30 .25
4 in. not. 6 to 8 in.	.30	.25	.20
The four faces of the state of	.,,		
serrulata—New form from China	.75	.50	
4 in. pot, 1 to 1½ ft	.50	.40	
serrulata—New form from China 4 in. pot, 1½ to 2 ft 4 in. pot, 1 to 1½ ft 4 in. pot, 8 to 12 in	.40	.30	.25
PITTOSPORUM crassifolium, KARO			
PITTOSPORUM crassifolium, KARO 4 in. pot, 1½ to 2 ft 4 in. pot, 1 to 1½ ft	.50	.35	.30
4 in. pot, 1 to 1½ ft	.40	.30	.25

	each	10	100
DIMEOGRAPHIA C	rate	rate	rate
PITTOSPORUM—Continued			
eugenioides, TARATA  2 to 3 ft	.75	.60	.50
1½ to 2 ft	.65	.50	
4 in pot, 3 to 4 ft	.60 .50	.50	
4 in. pot, 1½ to 2 ft	.40	.40	.25
phillyracoides WILLOW PITTOSPORIIM			
phillyraeoides, WILLOW PITTOSPORUM  4 in. pot, 3 to 4 ft	.75	.50	.40
4 in. pot, 2 to 3 ft	.50	.35	.30
tenuifolium (nigricans)			
tenuifolium (nigricans) 4 in. pot, 2 to 3 ft	.50	.35	.30
	.40	.30	.25
tenuifolium hybridum	.40	.30	
4 in. pot, 1½ to 2 ft	.35	.25	
tohirs TORIRA			
tobira, TOBIRA 3 to 4 ft	1.00	.75	.60
2 to 3 ft	.75	.60	.50
5 in. pot, 2 to 3 ft	$.50 \\ .25$	.35 $.20$	
4 III. pot, 6 to 12 III	.20	-20	
tobira variegated, WHITESPOT TOBIRA 4 in. pot, 8 to 12 in	.40	.30	.25
4 in. pot, 6 to 8 in	.35	.25	.20
PRIMITE SIGNAL HOLLVIEVE CHERRY			
4 in. pot, 2 to 3 ft	.75	.50	
4 in. pot, 1½ to 2 ft	.50	.35	.30
4 in. pot, 1 to 1½ ft	.40 .35	.30 .25	.25 .20
4 in. pot, 2 to 3 ft	.30	.20	.18
lyoni (integrifolia), CATALINA CHERRY			
4 in. pot, 1 to 1½ ft	.40	.30	.25
PSIDIUM cattleianum, STRAWBERRY GUAVA 5 in. pot, 1 to 1½ ft 5 in. pot, 8 to 12 in	.50	.40	.30
5 in. pot, 8 to 12 in	.40	.30	.25
PYRACANTHA angustifolia, NARROWLEAF FIRETHO	RN		
6 to 8 ft	$\frac{2.00}{1.50}$	$1.50 \\ 1.25$	
3 to 4 ft	1.25	1.00	
4 in. pot, 2 to 3 ft	.50	.35	.30
3 to 4 ft	.40 .35	.30 .25	.25 .20
4 III. pot, 1 W 172 It	.00	.20	•20
coccinea lalandi, LALAND FIRETHORN grafts and cuttings, 4 in. pot, 2 to 3 ft grafts and etgs, 4 and 5 in. pot, 1½ to 2 ft grafts and etgs, 4 and 5 in. pot, 1 to 1½ ft. grafts and cuttings, 4 in. pot, 8 to 12 in.	.75	.60	
grafts and etgs, 4 and 5 in. pot, 1½ to 2 ft	.60	.50	
grafts and etgs, 4 and 5 in. pot, 1 to 1½ ft.	.50	.40	0.5
	.40	.30	.25
crenulata, NEPAL FIRETHORN		4.0	0.5
4 in. pot, 3 to 4 it	.60 .50	$.40 \\ .35$	.35 .30
4 in. pot, 3 to 4 ft	.40	.30	.25
4 in. pot, 1 to 1½ ft	.35	.25	.20
formosana, FORMOSA FIRETHORN 5 in. pot, 3 to 4 ft			
5 in. pot, 3 to 4 ft	.75	.50	.40 .35
4 and 5 in. pot, 2 to 3 it	.60 .50	$.40 \\ .35$	.30
4 in. pot, 1 to 1½ ft	.40	.30	.25
famusaana anlandana			
grafted, 5 in. pot, 1½ to 2 ft	.75	.60	
grafted, 5 in. pot, 1 to 1½ ft	.65 .50	.50 .40	.30
seedlings, 3 and 4 in, pots, 1½ to 2 ft	.40	.30	.25
grafted, 5 in. pot, 1½ to 2 ft	.35	.25	.20
kansuensis KANSII FIRETHORN			
4 in. pot, 2 to 3 ft	.65	.50	
4 In. pot, 1½ to 2 It	.50	.35	
yunnanensis, YUNNAN FIRETHORN	.75	.60	
4 in. pot, 2 to 3 ft	.65	.50	.40
yunnanensis, YUNNAN FIRETHORN 4 in. pot, 3 to 4 ft	.50	.35	.39
4 in. pot, 1 to 1½ ft	.40	.30	.25

	each	10	100
QUERCUS agrifolia, CALIFORNIA LIVE OAK	rate	rate	rate
5 in. pot. 4 to 5 ft	.75	.50	
5 in. pot, 3 to 4 ft	.60	.40	.35
5 in. pot, 2 to 3 ft	.50	.35	.30
4 and 5 in. pots, 1½ to 2 ft	.40	.30	.25
QUERCUS agrifolia, CALIFORNIA LIVE OAK 5 in. pot, 4 to 5 ft	.35	.25	.20
chrysolepis, GOLDEN CUP OAK 5 in. pot, 6 to 10 in	.30	.25	.20
DANTES TOTAL			
RAPHIOLEPIS indica 4 in. pot, 4 to 8 in	.35	.25	.20
indica rosea, PINK INDIA-HAWTHORN grafted, 4 in. pot, 6 to 8 in	.50	.35	.30
umbellata ovata, ROUNDLEAF YEDDO-HAWTH 4 in. pot, 8 to 12 in	ORN .35	.25	.20
RHAMNUS alaternus variegata			
RHAMNUS alaternus variegata 4 in. pot, 1 to 1½ ft	.50	.35	
californica, CALIFORNIA BUCKTHORN 4 in. pot, 1 to 1½ ft	.40	.30	
SALVIA leucantha, MEXICAN BUSH SAGE			
4 in. pot, 2 to 3 ft	.50	.35	.30
4 in. pot, 1½ to 2 ft	.40	.30	
SCHINUS molle, CALIFORNIA PEPPERTREE			
5 in not 4 to 5 ft	.65	.50	.40
5 in. pot. 3 to 4 ft	.50	.35	.30
5 in, pot, 2 to 3 ft	.40	.30	.25
5 in. pot, 3 to 4 ft	.25	.20	.15
SOPHORA davidi 4 in. pot, 8 to 12 in	.40	.30	.25
SPARTIUM junceum, WEAVER'S BROOM, SPANISH	BROOM		
4 in. pot, 3 to 4 ft	.50	.35	.30
4 in. pot, 2 to 3 ft	.40	.30	.25
3 in. pot, 2 to 3 ft	.35	.25	.20
SPARTIUM junceum, WEAVER'S BROOM, SPANISH         4 in. pot, 3 to 4 ft	.25	.20	.15
4 in not 1 to 1½ ft	.50	.40	
junceum nanum, DWARF SPANISH BROOM 4 in. pot, 1 to 1½ ft	.40	.30	
STRANVAESIA davidiana (new)			
5 in. pot, 2 to 3 ft	.75	.60	
	****		
undulata	F0.	95	
4 in. pot, 8 to 12 in	.50 .40	.35 .30	
	*10	.00	
TEMPLETONIA retusa, MELBOURNE CORALBUSH 4 in. pot, 1½ to 2 ft		<b>50</b>	
4 in. pot, 1½ to 2 It	.75 .50	.50 .35	.30
	.00	.00	.00
TRISTANIA conferta, BRISBANE BOX 5 in. pot, 3 to 4 ft 5 in. pot, 2 to 3 ft			
5 in. pot, 3 to 4 ft	.65	.50	.40 .30
5 In. pot, 2 to 3 It	.50	.35	.50
VERONICA chathamica			
2½ in. pot, 8 to 10 in	.25	.20	.15
cupressoides			
2 to 2½ ft	1.00	.75	
2 to 2½ ft	.75	.60	
15 to 18 in	.65	.50	
216 in not 12 to 15 in	.50 .20	.40 .15	.12
2½ in. pot, 12 to 13 in.	.20	.12	.10
12 to 15 in	.15	.10	.08
doorganto BIHE SPEEDWELL		0.0	
2 to 3 ft	.75	.60	
1½ t0 2 It	.65 .35	.50 .25	
2½ in not 1 to 1½ ft	.25	.20	.15
2 to 3 ft	.20	.15	.12
hulkeana 4 in. pot, 1 to 1½ ft	.30	.25	.20

	each	10	100
	rate	rate	rate
VERONICA—Continued			
imperialis, IMPERIAL SPEEDWELL			
1 to 1½ ft	.50	.40	
2½ in. pot, 12 to 15 in	.25	.20	.15
2½ in. pot, 8 to 12 in	.20	.15	.12
imperalis grandiflora			
2 to 2½ ft	.75	.60	
1½ to 2 ft	.65	.50	
$2\frac{i}{2}$ in. pot, 1 to $1\frac{i}{2}$ ft	.25	.20	.18
traversi, BUSH SPEEDWELL			
2½ in. pot, 8 to 12 in	.25	.20	.15
2½ in. pot, 6 to 8 in	.20	.15	.12
VIBURNUM odoratissimum, SWEET VIBURNUM			
2 to 3 ft	1.25	1.00	
1½ to 2 ft	1.00	.75	
8 to 12 in	.65	.50	
3 in. pot, 4 to 6 in	.25	.20	.15
rhytidophyllum, LEATHERLEAF VIBURNUM			
6 to 8 ft	3.00	2.00	
4 to 6 ft	2.00	1.50	
3 to 4 ft	1.75	1.25	
5 in. pot, 2 to 3 ft	.75	.60	
5 in. pot, 1½ to 2 ft	.65	.50	.40
5 in. pot, 1 to 1½ ft	.50	.40	
sandankwa			
4 in. pot, 1 to 1½ ft	.40	.30	
4 in. pot, 8 to 12 in	.35	.25	
tinus LAURUSTINUS			
3 to 4 ft	1.25	.90	.75
2 to 3 ft	1.00	.75	.60
1½ to 2 ft	.75	.60	.50
1 to 1½ ft	.65	.50	.40
4 in. pot, 1 to 1½ ft	.40	.30	.25
4 in. pot, 8 to 12 in	.35	.25	.20
3 in. pot, 4 to 6 in	.25	.20	.15
tinus lucidum, SHINING LAURUSTINUS			
3 to 4 ft	1.50	1.00	
2 to 3 ft	1.25	.85	
1½ to 2 ft	1.00	.75	
1 to 1½ ft	.75	.60	
4 in. pot, 1½ to 2 ft	.50	.40	25
4 in. pot, 1 to 1½ ft	.40	.30	.25
4 in. pot, 8 to 12 in	.35	.25	.20 .15
3 in. pot, 6 to 8 in	.25	.20	.19

## **IMPORTANT**

# Be Sure To Read pages 2 and 3 about

NOVELTIES and SPECIALTIES

## FLOWERING FRUIT TREES

All plants in this section will be dug with bare roots.

N. B. Our Almonds, Cherries, Peaches and Plums are grown outside the Peach Root Borer district, so can be shipped anywhere.

#### FLOWERING ALMONDS

	03.TD	20 9 1	m 1 1	
ALM	DND.	Doub	le Pinl	к

This is not the dwarf bush Almond but a tree closely resembling a flowering

This is not the dwarf bush Annoild but a tree closely		biting a nowe.	ing
Peach and often mistaken for it. Very profuse bloc	each	10	100
	rate	rate	rate
4 to 6 ft\$	.75	\$ .60	\$ .50
FLOWERING APPLES			
MALUS ioensis bechteli, BECHTEL CRAB			
3 to 4 ft	1.00	.70	.60
	.75	.60	.50
"Large Flesh Pink"			
8 to 10 ft	1.25	1.00	.75
	1.00	.75	.60
4 to 6 ft		.60	.50
niedzwetzkyana, REDVEIN CRAB			
8 to 10 ft	1.25	1.00	
6 to 8 ft		.75	.60
4 to 6 ft	.75	.60	
spectabilis, CHINESE DOUBLE FLOWERING CRA	/B		
4 to 6 ft	1.00	.75	
FLOWERING APRICOTS			
PRUNUS mume Dawn (double pink)			
	1.00	.75	.60
4 to 6 ft	.75	.60	.50

#### FLOWERING CHERRIES

Although we specialize in the Flowering Cherries, demand is so great that we are entirely sold out for this season. Next year we expect to offer about 25 of the very best Japanese varieties correctly named. We urge our customers to place orders during the summer to ensure a stock of these beautiful and increasingly popular trees.

#### FLOWERING PEACHES

Assorted varieties as below			
4 to 6 ft	1.00	.70	.60
3 to 4 ft		.60	
Burbank (double pink)	Double Red (late)		
Camelliaflora (double pink)	Double White		
Clara Meyer (double pink)	Early Red		
Double Cerise (late)			

## **DECIDUOUS TREES**

All plants in this section will be dug with bare roots.

All plants in this section will be dug with	n bare roots.		
	each	10	100
	rate 1	rate	rate
ACER dasycarpum, SILVER MAPLE			
6 to 8 ft\$	1.00 \$	.75 \$	.60
6 to 8 ft\$ 4 to 6 ft	.75	.60	.50
platanoides, NORWAY MAPLE			
4 to 6 ft	1.00	.75	.60
		.10	.00
platanoides schwedleri, SCHWEDLER PURPLE M	APLE		
4 to 6 ft	1.00	.75	.60
CUCAD MADIE			
saccharum, SUGAR MAPLE	105		
8 to 10 ft		1.00	.75
6 to 8 ft		.75	.60
4 to 6 ft	.75	.60	
ALBIZZIA julibrissin, ALBIZZIA			
	.75	.60	
2 to 3 ft	.60	.50	
BETULA alba, EUROPEAN WHITE BIRCH			
		1.50	
		1.00	.75
	1.00	.75	.60
3 to 4 ft	.75	.60	.50

16

	each	10	100
BETULA—Continued	rate	rate	rate
pendula gracilis, CUT LEAVED WEEPING BIRC	H		
9 to 10 ft	2.50	2.00	
8 to 9 ft	2.25	1.75	1.50
7 to 8 ft	$\frac{2.00}{1.75}$	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$
5 to 6 ft		1.00	.75
4 to 5 ft	1.25	.75	.60
3 to 4 ft	.85	.65	.50
pendula youngi, YOUNG'S WEEPING BIRCH			
9 to 10 ft	3.00	2.50	
9 to 10 ft	2.00	1.50	1.25
5 to 6 ft	1.75	1.25	1.00
CERCIS chinensis arborea (new)			
3 to 4 ft	.60	.50	
3 to 4 ft	.50	.40	
CATALPA speciosa, WESTERN CATALPA  12 to 14 ft			
12 to 14 ft	1.50	1.25	
10 to 12 ft	1.25	1.00	.75
8 to 10 ft	1.00	.75	.60
6 to 8 ft	.75	.60	.50
4 to 6 ft	.65	.50	.40
3 to 4 ft	.50	.40	.35
CRATAEGUS, HAWTHORN			
	The on	e year trees	
The two year trees have well developed heads. are mainly whips.	2110 011	o year erees	
CARRIEDE HANGELORN			
carrierei, CARRIERE HAWTHURN	1.25	1.00	
2 year buds, 6 to 6 ft	1.25	.75	.65
1 year huds 4 to 6 ft	.75	.60	.50
carrierei, CARRIERE HAWTHORN  2 year buds, 6 to 8 ft	.65	.50	.40
cocciniodes	.75	.60	
2 and 3 year buds 3 to 4 ft	.65	.50	
1 year buds, 3 to 4 ft.	.50	.40	
2 and 3 year buds, 4 to 6 ft	.40	.30	
WACIIINGTON IIAWTIODN			
2 and 3 year hude 6 to 8 ft	1.25	1.00	.85
2 and 3 year buds, 4 to 6 ft	1.00	.75	.65
2 and 3 year buds, 3 to 4 ft	.75	.60	.50
cordata, WASHINGTON HAWTHORN  2 and 3 year buds, 6 to 8 ft	.75	.60	.50
cordata seedlings			
well branched 6 to 8 ft	1.00	.75	.50
well branched, 6 to 8 ft	.75	.60	.00
oxyacantha, Double Pink 2 and 3 year buds, 6 to 8 ft			
2 and 3 year buds, 6 to 8 ft	1.25	1.00	.85
2 and 3 year buds, 4 to 6 ft	1.00	.75	.65
1 year buds, 6 to 8 ft	.75	.60	.50
1 year buds, 4 to 6 ft	.60	.50	.40
1 year buds, 3 to 4 ft	.50	.40	.30
oxyacantha, Double White  2 year buds, 6 to 8 ft	4.05	4.00	
2 year buds, 6 to 8 ft	1.25	1.00	
2 year buds, 4 to 6 It	1.00 .75	.75	.65
1 year buds 3 to 4 ft	.65	.50	
2 and 3 year hilds 8 to 10 ft	1 50	1.25	1.00
2 and 3 year buds, 6 to 8 ft	1.25	1.00	.80
2 and 3 year buds, 4 to 6 ft	1.00	.75	.60
1 year buds, 6 to 8 ft	.75	.60	.50
oxyacantha splendens, PAUL'S DOUBLE SCARLE 2 and 3 year buds, 6 to 10 ft	.65	.50	.40
1 year buds, 3 to 4 ft	.50	.40	.35
pinnatifida major			
2 year buds, 3 to 4 ft		.75	
FRAXINUS velutina, ARIZONA ASH  8 to 10 ft			
8 to 10 ft	1.25	1.00	
6 to 8 ft	1.00	.75	.60
4 to 6 ft	.75	.60	.50
	.65	.50	.40
MORUS alba pendula, WEEPING MULBERRY			
extra heavy, 7 ft. stem	2.50	2.00	1.75
extra heavy, 6 ft. stem	2.25	1.75	1.50
extra heavy, 7 ft. stem	$\frac{2.00}{1.25}$	$\frac{1.50}{1.00}$	$\frac{1.25}{.75}$
1 year buus, o w 1 It. Swiii	1.40	1.00	.10

	each	10	100
	rate	rate	rate
PAULOWNIA imperialis 4 to 6 ft	1.00	.75	.60
PISTACIA chinensis, CHINESE PISTACHE 4 in. pot, 2 to 3 ft	.40	.30	.25
			.20
PLATANUS orientalis, EUROPEAN PLANETREE, EU	ROPEAN S	YCAMORE 1.25	1.00
8 to 10 ft	1.00	.85	.75
4 to 6 ft	.85	.70	.60
racemosa, CALIFORNIA PLANETREE			
4 to 6 ft	1.00 .75	.75 .60	.60 .50
2 to 3 ft	.65	.50	.40
POPULUS alba bolleana, BOLLEANA POPLAR			
14 to 16 ft	2.50	2.00	
8 to 10 ft	1.25	1.00	
nigra italica, LOMBARDY POPLAR	2.00	1.50	1.25
14 to 16 ft	1.50	1.25	1.00
10 to 12 ft	1.25	1.00	.75
8 to 10 ft	1.00 .75	.75 .50	.50
		.50	.40
tremula pendula, WEEPING ASPEN, WEEPING top grafted on 7 ft. stems	POPLAR	1.50	1 05
top grafted on 6 ft. stems	1.50	1.50 1.25	$\frac{1.25}{1.00}$
	2.00	2.00	2.00
QUERCUS rubra, RED OAK 3 to 4 ft	.75	.60	
2 to 3 ft	.60	.50	
ROBINIA hispida macrophylla, SMOOTH ROSE-ACACI	Α		
top grafted at height shown			
specimen heads, 7 ft. stemspecimen heads, 6 ft. stem	2.50	2.00	
specimen heads, 6 ft. stem	2.25	$1.75 \\ 1.50$	
regular heads, 7 ft. stem	2.25	1.75	
specimen heads, 5 ft, stemregular heads, 7 ft, stemregular heads, 6 ft, stemregular heads, 7 ft, stemregular heads, 7 ft, stemregular heads, 8 ft, stemregular heads, 8 ft, stemregular heads, 9 ft, stem	2.00	1.50	
regular heads, 5 ft. stem	1.75	1.25	
grafted and budded at ground	1.05	1.00	
6 to 8 ft	1.25 .75	1.00 .60	
2 to 3 ft	.65	.50	
kelseyi, KELSEY LOCUST			
6 to 8 ft	1.25	1.00	
4 to 6 ft	1.00	.75	
3 to 4 ft	.75	.60	
pseudacacia decaisneana, DECAISNE LOCUST; F 12 to 14 ft		JST 1.50	1.25
10 to 12 ft	1.75	1.25	1.00
8 to 10 ft	1.50	1.00	.85
SALIX babylonica, BABYLON WEEPING WILLOW			
4 to 6 ft	.75	.50	.40
babylonica annularis, RINGLEAF WILLOW 8 to 10 ft			
8 to 10 ft	1.25	1.00	.75
6 to 8 ft	1.00 .75	.75 .60	.60
		.00	
SORBUS aucuparia, EUROPEAN MOUNTAIN-ASH 4 to 6 ft	1.00	.75	.60
3 to 4 ft	.75	.60	.50
TILIA americana, AMERICAN LINDEN			
TILIA americana, AMERICAN LINDEN 6 to 8 ft	1.00	.75	
4 to 6 ft	.75	.60 .50	
3 to 4 ft	.65	.00	
DECIDIOLIS SHI	םו ום	=	

## DECIDUOUS SHRUBS

Unless otherwise noted all plants in this section will be dug with bare roots. each 10 100 rate rate rate \$ .60 .50 \$ .50

	each	10	100
CARYOPTERIS incana, COMMON BLUEBEARD;	rate	rate	rate
2 to 3 ft		.35	
CYDONIA japonica, FLOWERING QUINCE Blood Red, from cuttings			
3 in. pot, 4 to 6 in		.30	.25
Mixed colors, from cuttings 2 to 3 ft	75	F0.	40
1½ to 2 ft		.50 .40	.40 .30
1 to 1½ ft		.30	.25
Mixed colors seedlings		.25	,20
Mixed colors, seedlings 1½ to 2 ft 1 to 1½ ft		.30	
		.25	.20
japonica pigmaea, DWARF JAPANESE QU	INCE (new)		
8 to 12 in		.40	.30
DEUTZIA crenata magnifica (new)	m ~	F0	
3 to 4 ft		.50 .40	
1½ to 2 ft		.30	
		.25	
rosea, ROSE PANICLE DEUTZIA	75	.60	
4 to 6 ft		.35	.30
1½ to 2 ft		.30	
scabra Pride of Rochester			
3 to 4 ft		.30 .25	.25 .20
		.20	.20
FORSYTHIA intermedia, BORDER FORSYTHIA 6 to 7 ft		.60	
		.00	
intermedia spectabilis, SHOWY BORDER FO	URSYTHIA 1.00	.75	
4 to 6 ft		.60	.50
2 to 3 ft		.50 .40	
1½ to 2 ft 1 to 1½ ft		.35	.30
suspensa fortunei, FORTUNE WEEPING FO	ORSYTHIA		
6 to 7 ft		.60	.50
		.50	
HIBISCUS syriacus, SHRUB ALTHEA—assorted va 3 to 4 ft	arieties 	.60	.50
2 to 3 ft		.50	.40
KERRIA japonica fl. pl., DOUBLE KERRIA			
4 to 5 ft		.60 .50	.40
1½ to 2 ft		.30	.40
4 to 5 ft		.25	
PHILADELPHUS			
Avalanche			
6 to 8 ft		.60 .50	
Dame Blanche			
4 to 6 ft		.50	
3 to 4 ft 2 to 3 ft		.40 .30	
		.00	
Favorite 6 to 8 ft	75	.60	
4 to 6 ft		.50	
Sylvaine	ma	40	
2 to 3 ft		.40	
grandiflorus, BIG SCENTLESS MOCKORAN	GE 	.40	
3 to 4 ft		.30	
speciosa			
4 to 6 ft	65	.50 .40	
3 to 4 ft	50	.40	

	each rate	10 rate	100 rate
PUNICA granatum, FLOWERING POMEGRANATE	1 11 \		
Mme. Legrelle (flowers double, variegated red and 2 to 3 ft	.50	.40	
1½ to 2 ft	.40	.35	.30
1 to 1½ ft	.35	.25	.20
Double Yellow			
4 to 5 ft	.50 .40	.40 .30	
	•40	.00	
nana, DWARF POMEGRANATE	.75	.65	.60
balled (with fruit), 1 to 1½ ftballed (with fruit), 8 to 12 in	.60	.50	.40
SPIREA billiardi, BILLIARD SPIREA 4 to 5 ft	.40	.30	
3 to 4 ft	.30	.25	.20
froebeli, FROEBEL SPIREA			
2 to 3 ft	.50	.30	.25
1½ to 2 ft	.35	.25	.20 .18
	.20	.20	.10
reevesiana fl. pl., DOUBLE REEVES SPIREA 3 to 4 ft	.65	.50	
1½ to 2 ft	.40	.30	
thunbergi, THUNBERG SPIREA			
2 to 3 ft	.50	.40	
vanhouttei, VANHOUTTE SPIREA			
4 to 6 ft	.65	.50	
4 to 6 ft	.40	.30	
1½ to 2 ft	.30	.25	
SYRINGA chinensis (rothomagensis), CHINESE LILAC 4 to 6 ft			
4 to 6 ft	1.00	.75	50
1 to 1½ ft	.75 .40	.60 .30	.50
,	***		
persica, PERSIAN LILAC 4 to 6 ft	1.00	.75	
3 to 4 ft	.75	.60	
vulgaris, COMMON PURPLE LILAC			
2 to 3 ft	.50	.40	
1½ to 2 ft	.40 .30	.30 .25	
		.20	
LILACS: Names Varieties—all b	udded.		
Novelties 1929 set. Descriptions below.			
JAN VAN TOL			
1½ to 2 ft	1.25	1.00 .75	
	1.00	.15	
PRES. FAILLIERES  1 to 1½ ft	1.00	.75	.60
·-	1.00	.10	.00
PRES. POINCARE  2 to 3 ft	1.25	1.00	
1½ to 2 ft	1.00	.75	
1 to 1½ ft	.75	.60	
Novelties first offered last season 1928 set De	scriptions	below.	
4 to 5 ft., Buffon and Descartes only	1.00	1.25	1.00
3 to 4 ft., Buffon only 2 to 3 ft., all varieties	1.00	1.00 .75	.75 .60
1½ to 2 ft., all varieties	.75	.60	.50
1 to 1½ it., all varieties	.65	.50	
General Collection—Descriptions below.	1.05	1.00	
4 to 5 ft		1.00 .75	.75 .60
2 to 3 ft	.75	.60	.50
1½ to 2 ft	.60	.50	.40
1 to 1½ ft	.50	.40	.35

## **DESCRIPTIONS OF LILACS**

#### NOVELTIES

JAN VAN TOL-Single white. Both the clusters and the individual flowers are of enormous size. A very good grower and free bloomer.

PRESIDENT FAILLIERES—Double, lavender pink. Color charming. Trusses simply enormous. Flowers large and very double. Truly magnificent and easily the

PRESIDENT POINCARE—Double. Claret mauve with purplish buds. Clusters of good size with very large, full double flowers. Very fragrant.

1928 Set Offered for the first time last spring.

\*BUFFON-Single; mauve pink; elegant flowers with reflexed lobes.

\*DESCARTES-Single; mauve pink. Exceedingly free blooming.

DIDEROT-Single; deep purple; buds almost black. Clusters very long and narrow. EDITH CAVEL—Double; milk white. Buds tinted deep cream. Handsome clusters with fine individual flowers.

EDOUARD ANDRE-Double; rose or nearly pink.

\*LOUVOIS-Single; violet purple suffused blue. Flowers very large in ample clusters.

MONTAIGNE-Double; pinkish mauve. Very large clusters.

MONT BLANC-Single; pure white. Clusters large, flowers enormous. Very fragrant. Splendid.

WALDECK-ROUSSEAU-Double; deep violet flowers, borne in long trusses.

#### GENERAL COLLECTION

#### Double Varieties

CHAS. SARGENT—Violet mauve blended sky blue; enormous flowers and clusters. \*CLAUDE BERNARD—Bright mauve. Included in the "Early Lilacs" but really in a class by itself and distinct from all others. Petals are long and wavy or twisted. Largest flowers are an inch broad. Very fine.

twisted. Largest flowers are an inch broad. Very fine.

CONDORCET—Almost pure blue. Semi-double.

ELLEN WILLMOTT—Snow white; elegant spikes; fine large flowers of the "hose in hose" type of double. in hose" type of double.
EMILE GENTIL—Bright cobalt-blue.

GEORGES BELLAIR—Buds carmine, opening purple. Profuse bloomer. HIPPOLYTE MARINGER—Purplish-mauve; compact clusters. JEAN BART—Rosy-violet, buds carmine. Petals acute and twisted. Unique. JEAN MACE—Mauve changing to blue.

JEAN MACE—Mauve changing to blue.

JEANNE D'ARC—White. Flowers very large. Clusters beautiful and compact.

LA TOUR D'AUVERGNE—Dark lilac, good.

LEON GAMBETTA—Pink-lilac, early; regular imbricated flowers.

MARECHAL LANNES—Mauve changing to pinkish blue. Beautiful color. Flowers unusually large. Very fine.

MAXIMOWICZ—Violet-heliotrope, reverse silvery.

PRESIDENT LOUBET—Purple changing to lilac.

PRESIDENT VIGER—Purple becoming blue. Clusters large.

ROSEA GRANDIFLORA—Rosy-lilac; fine panicles.

\*VAUBAN—Pale mauve pink. Panicles large. Delicious fragrance. Extremely free bloomer.

free bloomer.
VICTOR LEMOINE—Azure-mauve, fading to flesh pink.

#### Single Varieties

CHRISTOPHER COLUMBUS-Light lilac blue, buds purple; very fine and large.

CHRISTOPHER COLUMBUS—Light lilac blue, buds purple; very fine.

DE MIRIBEL—Dark bluish-violet; long compact panicles; very fine.

DR. BREITSCHNEIDER—Pure pink. Blooms on new wood, hence late.

DR. LINDLEY—Brilliant violet-purple, buds red.

EDMOND BOISSIER—Dark purple. Flowers very large.

GLOIRE DE LORRAINE—Dark lilac becoming blue.

\*LAMARTINE—Mauve pink changing to nearly blue. Clusters much for ers large. Very vigorous and one of the very earliest.

LUDWIG SPAETH—Dark purple. Clusters long and slender.

LUTTECE—Pink-very late. Blooms on new wood. Clusters much forked. Flow-

LUTECE—Pink; very late. Blooms on new wood.
MARIE LEGRAYE—White; early. An old favorite.
\*MIRABEAU—Mauve, the earliest of all.
NIGRICANS—Bluish lilac.

\*PASCAL—Pure lilac; very free. Dwarf habit.

PERLE VON STUTTGART—Pure white. Both flowers and clusters very large.

VESTALE—White; flowers large. Our earliest white variety.

\*Varieties starred are the new "Early Lilacs." These are hybrids between Syringa giraldi and the earliest varieties of S. vulgaris. They are very distinct from previous varieties in both appearance and habit. They are ten days to two weeks earlier and the clusters are borne well above the foliage at the ends of long erect branches. Leaves are only partially developed when they bloom. These features give them very great value as cut flowers. We recommend them highly.

	each	10	100
	rate	rate	rate
VIBURNUM opulus sterile, COMMON SNOWBALL			
3 to 4 ft	1.00	.80	
2½ to 3 ft	.90	.65	.60
$2\frac{1}{2}$ to 3 ft	.50	.40	.30
8 to 12 in	.40	.30	.25
WEIGELA nana variegata			
1 to 1½ ft	.49	.35	
· · · · · · · · · · · · · · · · · · ·			
Assorted	1.00		
6 to 7 ft	1.00	.75	.60 .50
4 to 6 ft	.75 .65	.60 .50	.40
3 to 4 ft 2 to 3 ft	.50	.40	.30
Candida (white) Desboisi (red	)		
Chameleon (pink and white) Gigantiflora	pink)		
Conquette (red) Rosea (pink)			
CLIMBERS			
CLIMBLING			
	each	10	100
	rate	rate	rate
AMPELOPSIS acontifolia, MONKSHOOD-VINE			
4 in. pot, 8 to 12 in	.35	\$ .25	\$
EUONYMUS radicans acutus, SHARPLEAF WINTER	CREEPE	,	
4 in pot, 2 to 3 ft	.35	.25	.20
	.00	.20	.20
FICUS pumila (repens) CLIMBING FIG 3 in. pot, 6 to 8 in			
3 in. pot, 6 to 8 in	.25	.20	.15
UARDENBERGIA comptoniana			
4 in. pot, 1 to 2 ft	.50	.35	
4 in. pot, 8 to 12 in	.40	.25	
monophylla alba			
5 in. pot, 3 to 4 ft	.50	.35	
JASMINUM beesianum, ROSY JASMINE 4 in. pot, 2 to 3 ft	.35	.25	.20
	.00	.20	.20
primulinum, PRIMROSE JASMINE			
5 in. pot, 4 to 5 ft	.50	.40	0.5
4 in. pot, 2 to 3 ft	.40	.30	.25
LONICERA japonica chinensis, CHINESE HONEYSUCE	LE		
5 in. pot, 3 to 4 ft	.50	.35	
5 in. pot, 3 to 4 ft	.35	.25	.20
japonica halliana, HALL JAPANESE HONEYS 4 in. pot, 2 to 3 ft	35	.25	.20
			•=•
"Scarlet Trumpet"	~0	40	0.5
balled, 1½ to 2 ft	.50	.40	.35
4 in. pot, 2 to 3 ft	.40	.30	
SOLANUM jasminioides, JASMINE NIGHTSHADE			
4 in. pot. 2 to 3 it	.35	.25	
SOLLVA heteronhylla AUSTRALIAN BLUEBELL CE	EEPER		
4 in. pot. 1½ to 2 ft	.40	.30	.25
4 in. pot, 1 to 1½ ft	.35	.25	.29
2½ in. pot, 1 to 1½ ft	.25	.20	.15
SOLLYA heterophylla, AUSTRALIAN BLUEBELL CF 4 in. pot, 1½ to 2 ft	.20	.15	.12
TECOMA australis 4 in. pot, 2 to 3 ft	.50	.35	
		.50	
WISTERIAS—All Grafted			
N. B Field grafts are rather slender for their heig	ht or len	eth and usu	ally
not branched.			
Bench grafts (2 to 4 years) are not as tall, but a	re heavie	r, stockier	and
Bench grafts (2 to 4 years) are not as tall, but a usually well branched. Most of the older be	nch graf	s offered h	ave
already bloomed in the field.			
WISTERIA floribunda violacea plena, DOUBLE VIOLE	T JAPAN	JESE WIST	ERIA
field grafts, 5 to 6 ft	2.00	1.50	776171
C-11 Ct 4 1 7 Ct	1 50	- 05	

 field grafts, 5 to 6 ft.
 2.00
 1.50

 field grafts, 4 to 5 ft.
 1.50
 1.25

 field grafts, 3 to 4 ft.
 1.25
 1.00

 field grafts, 2 to 3 ft.
 1.00
 .75

 field grafts, 1½ to 2 ft.
 .75
 .60

 field grafts, 1½ to 1½ ft.
 .60
 .50

	each	10	100
	rate	rate	rate
WISTERIA—Continud		2440	1400
multijuga langiggima (light numula autus lang	1		
multijuga longissima (light purple, extra long c	lusters)	1 0#	
bench grafts, 2 year	1.50	1.25	
field grafts, 5 to 6 ft	1.50	1.25	
multijuga rosea, PINK JAPANESE WISTERIA			
bench grafts, 2 year	2.00	1.50	1.25
Call amosto 0 to 0 tt	1.00		1.20
field grafts, 2 to 3 ft	1.50	1.25	
field grafts, 1½ to 2 ft	1.25	1.00	
sinensis, CHINESE WISTERIA (blue)			
bench grafts, 4 year	2.00	1.50	1.25
bench grafts, 3 year		1.25	1.00
bench grafts, 2 year	1.25	.90	.75
bench grants, 2 year	1.20	.90	.10
venusta, SILKY WISTERIA (white)			
bench grafts, 3 and 4 year	1.50	1.25	
bench grafts, 2 year		1.00	
5011011 8=41100, 2 504111111111111111111111111111111111111	1.20	1.00	
Mrs. McCullough			
field grafts, 1½ to 2 ft	1.00	.75	
field grafts, 1 to 11/2 ft	.75	.50	

### **MISCELLANEOUS**

Unless otherwise noted all plants in this section will be balled at prices quoted.

		each	10	100
		rate	rate	rate
DRACAEN.	A, Common Type			
	6 to 7 ft\$	3.00	\$2.25	\$
	5 to 6 ft	2.50	2.00	1.75
	4 to 5 ft	2.00	1.50	1.25
	3 to 4 ft	1.50	1.25	
	5 in. pot, 2 to 3 ft	.65	.50	.40
HESPEROY	UCCA whipplei, CHAPARRAL YUCCA; CA			
	4 in. pot, 1½ to 2 ft	.50	.40	.35
	4 in. pot, 1 to 1½ ft	.40	.35	.30
TRITOMA,	Wm. F. Dreer			
	4 in. pot, 1 to 2 ft	.35	.25	.20
PHORMIUM	M tenax variegatum, GOLDEN NEWZEALAI			
	2 to 3 ft	1.00	.75	
	1½ to 2 ft	.75	.60	
	1 to 1½ ft	.65	.50	

# **IMPORTANT**

Be Sure To Read pages 2 and 3 about

NOVELTIES and SPECIALTIES

## ROSES

We grow and handle roses very extensively.

Our assortment of varieties is one of the most complete in the country including all the old ones that are good and the best of American and European novelties.

Everyone interested in or handling roses should have our list. If you have no copy on file write us for LIST 2805 and we will mail it promptly.

## PLEASE NOTE

This price list covers only stock offered by Clarke Nursery Co., San Jose, Calif.

We also act as marketing agents for several other concerns so are in a position to supply almost anything in the nursery line available on the Pacific Coast.

If you don't find what you want in this list write us about it.

Address all correspondence to

W. B. CLARKE & SON BOX 343, SAN JOSE, CALIF.